



Hardware Stainless Steel

Swivel Bolt Snap



Item#	Size (O.A.L.)
H-SSE4.5	4.50"
H-SSE3.5	3.45"
H-SSE3	3.00"

Double Ended Snap



Item#	Size (O.A.L.)
H-SDE 4.5	4.50"
H-SDE4.0	4.00"
H-SDE3.5	3.50"

Carabiner



Item#	Size (O.A.L.)
H-SSC4	4.0"
H-SSC3	3.0"
H-SSC2.5	2.5"

3 Bar Serrated Slide



Item#	Size (O.A.L.)
H-SS3BS	2"

3 Bar Slide



Item#	Size (O.A.L.)
H-SS3B	2"

Round Ring



Item#	Size (I.D.)
H-RS2	2" X .25

D Ring



Item#	Size (I.D.)
H-SSD2	2" X .25"
H-SSD1	1" X .20

Billy Rings



Item#	Size (O.A.L.)
H-B-RG45	2" D-Ring @ 45 degrees



Item#	Size(O.A.L.)
H-B-RING	2" D-Ring @ 90 degrees

HD 3 Bar Slide



Item#	Size (O.A.L.)
H-HD3B	2"

Quick Link



Item#	Size (O.A.L.)
H-SSQL3	3.00"
H-SSQL2	2.00"
H-SSQL1.5	1.50"

Stage Bottle Neck Ring



Item#	Description
A-490-S	Ring w/ 4.70" Swivel Bolt Snap

Stainless Steel Butterfly Swivel Bolt Snap



Item#	Size (O.A.L.)
H-SSEQ-3	3.50"



Item#	Description
HSSDB-2	2" Bent D-Ring

Shackle



Item#	Size (O.A.L.)
H-SSQ2L	2.0"

Weight Belt Buckle



Item#	Size (O.A.L.)
H-WBBS	2"(Stainless)
H-WBB	2"(Delrin)



Stainless Steel/Delrin Hardware



NEW! BILLY RINGS™

Billy Rings



Item#
H-B-RING--6

Description
2" D-Ring welded at 90 degrees to a heavy duty 3 Bar slide that will accept up to 2 thicknesses of webbing. 6mm wire size accepts smaller Swivel Snaps

Billy Rings



Item#
H-B-RG-45-6

Description
2" D-Ring welded at 45 degrees to a heavy duty 3 Bar slide that will accept up to 2 thicknesses of webbing. 6mm wire size accepts smaller Swivel Snaps

Billy Rings



Item#
H-B-DD-6

Description
2" D-Ring welded at 45 degrees to a heavy duty 3 Bar slide that will accept up to 2 thicknesses of webbing. 6mm wire size accepts smaller Swivel Snaps

Delrin 3 Bar Slide



Item#
H-SLIDE2
H-SLIDE1

Size (Width)
2"
1"

Delrin Side Release Buckle



Taco (Stainless Steel) (Holds D-Ring to Hose Clamp)



Item#
HSDRB

Description
TACO

Garvin Hook



Item#
A-492

Description
Attaches to Jon Line for quick attachment to anchor line





Chemicals

U.S. NAVY APPROVED



NO LEAK BOTTLE

CORROSTOP™ CORROSION INHIBITOR

CORROSTOP™ Corrosion Inhibitor has been chemically engineered to protect metal objects and equipment against the corrosive effects of fresh water, salt water and salt. It is a food grade, environmentally friendly product that is safe for use with oxygen service equipment!

Applications: Scuba equipment (e.g. cylinder protection, inside and outside), valves, regulators, fishing, boating and vehicular equipment constructed of metal and subject to the corrosive effects of salt. CORROSTOP™ is particularly useful when rinse water is either unavailable or must be conserved.

With similar and dissimilar metals, CORROSTOP™ inhibits anodic/cathodic deterioration and oxidation by:

- Stopping galvanic reaction
- Imparting a protective coating

CORROSTOP™ will, to some degree, repair past damage and prevent further corrosion when used as directed. CORROSTOP™ is safe for use with rubber and plastic products.

CORROSTOP™ concentrate is available in a 32-ounce bottle and a 2-ounce bottle. Two ounces of concentrate make one gallon.

Item# Description

- | | |
|------|------------------|
| A275 | 32 oz CORROSTOP™ |
| A278 | 2 oz CORROSTOP™ |

Both steel samples immersed in sea water

A. Treated with CORROSTOP™



B. Not treated

